MATERIAL SAFETY DATA SHEET (SELF ADHESIVE BUTYL SEALING TAPE)



SECTION 1. MATERIAL IDENTIFICATION

PRODUCT DESCRIPTION

SELF ADHESIVE BUTYL SEALING TAPE

MATERIAL USED

Polypropylene Spun Bonded Non woven Fabric (50gsm./80gsm.)

MANUFACTURER'S NAME

SAKSHI INNOVATIONS PRIVATE LIMITED

Gurudwara Somasar Road, P.O. Sahnewal, Village TIBBA, Distt. LUDHIANA-141 120 (INDIA)

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT NAME	:	Polypropylene Spunbonded Non-woven Fabric
CAS NO.	:	Mixture
% AGE OF TOTAL WT.	:	99-100

SECTION 3. HAZARDS IDENTIFICATION

EYE HAZARDS	:	Particles may cause eye irritation
SKIN HAZARDS	:	May cause mild irritation to sensitive skin.
INGESTION HAZARDS	:	Not a probable route of exposure.
INHALATION HAZARDS	:	Not a probable route of exposure under normal conditions of use.
CHRONIC /CARCINOGENICITY EFFECTS	:	None of the ingredients of this product comprising over 0.1% are classified as carcinogenic according to OSHA, National Toxicology Programme (NTP), International Agency for Research on Cancer (IARC) or the American Conference of Governmental Industrial Hygienists (ACGHI)

SECTION 4.	FIRST AIDS MEASURES		
EYES	:	Wash with cold water and consult to Physician.	
SKIN	:	Wash with cold water.	
INHALATION	:	Wash with cold water and consult to Physician.	

SECTION 5. FIRE FIGHTING M	EA	SURES	
EXTINGUISH MEDIA	:	Dry Powder	
FIRE FIGHTING PROTECTIVE EQUIPMENT	:	Hand Gloves, Spectacles, Helmet, Safety shoes, Apron	
SPECIFIC HAZARDS	:	Not Applicable	
SECTION 6. ACCIDENTAL REL	EA	SE MEASURES	
PERSONAL PROTECTION	:	Caution: Spillage may be slippery. Ensure suitable personal (Including respiratory protection) during removal of spillages. Dust clouds are sensitive to ignition by electrostatic discharge.	
ENVIRONMENT EXPOSURE CONTROL	:	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.	
METHOD OF CLEANING UP	:	Sweep up and shovel into waste drums or plastic bags	
SECTION 7. HANDELING & STORAGE			
HANDLING	:	Controls dust formation. Do not eat, drink or smoke at the work place. Wash face and hands before eating, drinking or smoking	
STORE	:	Store in cool well-ventilated area. Store in orginal containers between +5° to 25°C. Store all product indoor and be protected from direct sunlight, extreme heat, cold, frost, moisture, and NOx fumes	

EXPOSURE CONTROLS/ PERSONAL PROTECTIONS SECTION 8.

Provide adequate ventilation when the material are processed and follow the principles of good occupational hygiene to control personal exposures.

PHYSICAL & CHEMICAL PROPERTIES SECTION 9.

APPEARANCE	:	White and free of visual defects like foreign material and oil, hard and thin spots and holes.
PHYSICAL STATE	:	Solid non-woven fabric
COLOR	:	White / as per customer's requirement
MELTING POINT	:	polypropylene 1500c to 1700c
ODOR	:	Odorless
FLASH POINT	:	N/A
SOLUBILITY IN WATER	:	Not Soluble
SECTION 10. REACTIVITY AND STABILITY		
CHEMICAL STABILITY	:	Stable under normal conditions
CONDITIONS TO AVOID	:	Heat and direct sunlight

HAZARD DECOMPOSITION PRODUCTS	:	Carbon monoxide, carbon dioxide, hydrocarbon and Acrid smoke.

Direct contact with open flames.

SECTION 11. TOXICOLOGICAL INFORMATION

:

REGULATORY INFORMATION

MATERIALS TO AVOID

Do not allow enter drains, sewers or water courses. :

SECTION 12. ECHOLOGICAL INFORMATION

Insoluble in water floats on water. The product has low mobility in soil

SECTION 13. REGULATORY INFORMATION

Not classified as dangerous for supply/use

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous for transport.

SECTION 15. DISPOSAL CONSIDERATION

1. To be recycled wherever possible.

2. Dispose of in accordance with federal, provincial, state or local regulations.

OTHER INFORMATION SECTION 16.

The information stated above is based on our knowledge & available literature / test report. Its purpose is to describe the product from its safety point of view and do not constitute any warranty of characteristics as use of the product are not within our control, it is user's obligation to determine the condition of safe use of the product. Sakshi shall not be held liable for any damage resulting during handling or from contact with the above product